

Combined Bearing Factory Series Reference

Factory reference table for combined bearings used in forklift masts, steel profiles and linear guide systems, including common JD / MR / TR cross-references.

Factory catalog values for preliminary identification. Confirm the controlled drawing, suffix and operating conditions before order.

Model	Aliases	d	D	H	B	S	T	Cr	C0r	Ca	C0a	Mass
4.053	JD52.5-33 / TR050.0200	30	52.5	33	17	16	40	24	32	7	7	0.46
4.054	MR0021 / MR0430	30	62.5	37.5	20	20	42	31	35.5	11	11	0.53
4.055	MR0022 / JD70.1-44	35	70.1	44	23	22	48	45.5	51	13	14	0.8
4.056	MR0023 / MR0003	40	77.7	48	23	24	54	48	56.8	18	18	1
4.058	MR0025 / MR0025G88.4	45	88.4	57	30	26	59	68	72	23	23	1.62
4.059	JD101.2-46 / 400-0059	50	101.2	46	28	30	67	73	82	25	27	1.74
4.061	JD107.7-69 / MR0027	60	107.7	69	31	34	71	81	95	31	36	-
4.062	JD123-72.3 / MR0029	60	123	72.3	37	40	80	135	242	47	90	-
4.063 / 4.0063	TR010 / MR0010	60	149	78.5	45	50	103 / 108	-	-	-	-	-
PR4.054	MR001M / TR001M	30	64.8	37.5	20	20	42	-	-	-	-	-
PR4.055	MR002M / TR002M	35	73.8	44	23	22	48	-	-	-	-	-
PR4.056	DR400-0056 / JD81.8-48	40	81.8	48	23	24	54	-	-	-	-	-
PR4.058	DR400-0058 / Precision 4.058 class	45	-	57	30	26	59	-	-	-	-	-
PR4.059	DR400-0059 / Precision 4.059 class	50	-	46	28	30	67	-	-	-	-	-
PR4.061	DR400-0061 / Precision 4.061 class	60	-	69	31	34	71	-	-	-	-	-
PR4.062	DR400-0062 / Precision 4.062 class	60	-	72.3	37	40	80	-	-	-	-	-
PR4.063	DR400-0063 / Precision 4.063 class	60	-	78.5	45	50	103 / 108	-	-	-	-	-
4.090	400-0090 / JD190-84.5-KP	100	190	84.5	48	60	124	-	-	-	-	-
4.091	JD220-94.5-KPD / 400-0091	110	220	94.5	58	75	146	326	681	138	257	17.3
4.092	JD250-102-KPD / 400-0092	120	250	102	60	75	168	369	748	-	257	23.9
4.093	MR0015A / JD280-119.5-KP	150	280	119.5	72	90	188	489	1066	182	488	36

Model	Aliases	d	D	H	B	S	T	Cr	C0r	Ca	C0a	Mass
2.063	TR120 / MR0120	-	149	74	-	-	-	-	-	-	-	-
2.0363	TR111	-	62	62.5	-	-	-	-	-	-	-	-
4.057	JD77.7-40 / 400-0057	40	77.7	40	-	-	-	-	-	-	-	-
4.060	JD107.7-53 / 400-0060	60	107.7	53	-	-	-	-	-	-	-	-
KRES123	KRES 123 / Eccentric Pin Combined Bearing	-	123 class	-	-	-	-	-	-	-	-	-
4.085	JD180-95.7-KP / PR4.085	-	180 class	95.7 class	-	-	-	-	-	-	-	-
4.064	JD160-88 / 400-0064	-	160 class	88 class	-	-	-	-	-	-	-	-
4.089	JD180-75 / 400-0089	-	180 class	75 class	-	-	-	-	-	-	-	-
4.454	KB4.054 / 400-0454	30	62.5	37.5	20	20	42	-	-	-	-	-
4.455	KB4.055 / 400-0455	35	70.1	44	23	22	48	-	-	-	-	-
4.456	KB4.056 / 400-0456	40	77.7	48	23	24	54	-	-	-	-	-
4.457	KB4.057 / 400-0457	40	77.7	40	-	-	-	-	-	-	-	-
4.458	KB4.058 / 400-0458	45	88.4	57	30	26	59	68	72	-	-	-
4.459	KB4.059 / 400-0459	50	101.2	46	28	30	67	-	-	-	-	-
4.460	KB4.060 / 400-0460	60	107.7	53	-	-	-	-	-	-	-	-
4.461	KB4.061 / 400-0461	60	107.7	69	31	34	71	-	-	-	-	-
4.462	KB4.062 / 400-0462	60	123	72.3	37	40	80	-	-	-	-	-
4.463	KB4.063 / 400-0463	60	149	78.5	45	50	-	-	-	-	-	-
4.094	400-0094 / Jumbo combined bearing	-	-	-	-	-	-	-	-	-	-	-
4.095	400-0095 / Jumbo combined bearing	-	-	-	-	-	-	-	-	-	-	-
4.096	400-0096 / Jumbo combined bearing	-	-	-	-	-	-	-	-	-	-	-
AP0	AP0 plate assembly / Combined bearing on AP0	-	-	-	-	-	-	-	-	-	-	-
AP1	AP1 plate assembly / Combined bearing on AP1	-	-	-	-	-	-	-	-	-	-	-
AP2	AP2 plate / PR4.056 on AP2	-	-	-	-	-	-	-	-	-	-	-
AP2-LUB	AP2 LUB / Lubricated AP2 plate	-	-	-	-	-	-	-	-	-	-	-

Model	Aliases	d	D	H	B	S	T	Cr	C0r	Ca	C0a	Mass
AP2-Q	AP2Q / AP2-Q plate assembly	-	-	-	-	-	-	-	-	-	-	-
AP3.1	AP3.1 plate / AP3,1 welded plate	-	-	-	-	-	-	-	-	-	-	-
AP4	AP4 plate assembly / Combined bearing on AP4	-	-	-	-	-	-	-	-	-	-	-
AP6	AP6 plate assembly / Combined bearing on AP6	-	-	-	-	-	-	-	-	-	-	-
AP91-Q	AP91Q / 4.091 plate assembly	-	-	-	-	-	-	-	-	-	-	-